

BEST AVAILABLE COPY

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number
WO 01/35206 A2

(51) International Patent Classification⁷: G06F 3/12

Doug [US/US]; 12 West 27th Street, 15th Floor, New York, NY 10001 (US). ROBERTS, Shawn [US/US]; 12 West 27th Street, 15th Floor, New York, NY 10001 (US).

(21) International Application Number: PCT/US00/31129

(74) Agents: SPIVAK, Kevin, R. et al.; Morrison & Foerster LLP, 755 Page Mill Road, Palo Alto, CA 94304-1018 (US).

(22) International Filing Date:
13 November 2000 (13.11.2000)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(25) Filing Language: English

(26) Publication Language: English

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(30) Priority Data:
60/164,723 12 November 1999 (12.11.1999) US
60/165,643 15 November 1999 (15.11.1999) US
60/165,651 15 November 1999 (15.11.1999) US


(71) Applicant (*for all designated States except US*):
MIMEO.COM, INC. [US/US]; 12 West 27th Street,
15th Floor, New York, NY 10001 (US).

Published:

— *Without international search report and to be republished upon receipt of that report.*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventors; and
(75) Inventors/Applicants (*for US only*): STEWART, Jeff [US/US]; 12 West 27th Street, 15th Floor, New York, NY 10001 (US). PINCO, Jennifer [US/US]; 12 West 27th Street, 15th Floor, New York, NY 10001 (US). UYTTE-DAELLE, David [US/US]; 12 West 27th Street, 15th Floor, New York, NY 10001 (US). JACOBS, Craig [US/US]; 77 Boulder Brook Lane, Patterson, NY 12563 (US). FINKE,



WO 01/35206 A2

(54) Title: SYSTEM, METHOD AND RECORDABLE MEDIUM FOR UPLOADING DOCUMENTS OVER A NETWORK

(57) Abstract: This invention relates to a system and method to upload and recover print jobs over a network. A client sends to a server a request for a specific document to be uploaded for transfer across a network. The server creates an object to identify and process the request. The server sends a response to the client indicating that the request has been received and an associated object has been created. The server stores packets of the data document as they are uploaded and transmitted. Once the complete document has been uploaded and transferred to the server, it is stored in a network accessible data store.

SYSTEM, METHOD AND RECORDABLE MEDIUM FOR UPLOADING DOCUMENTS OVER A NETWORK

TECHNICAL FIELD

The present invention relates to a system, method and recordable medium for
5 communicating over a network, and in particular, for uploading and recovering data for
print jobs over a network.

BENEFIT OF EARLIER FILED APPLICATION

This application claims the benefit of U.S. Provisional Application No. 60/164,723,
10 filed November 12, 1999, U.S. Provisional Application No. 60/165,643, filed November
15, 1999, and U.S. Provisional Application No. 60/165,651, filed November 15, 1999.

BACKGROUND ART

Photocopying and reproduction services have been around since the turn of the
15 century. These services traditionally include a variety of competition ranging from internal
copy centers and network printers to outsourced and quick copy centers. These
photocopying and reproduction services are used in a wide variety of commercial and non-
commercial businesses. For example, publishers, firms, universities, sales professionals,
training professionals, international consumers, corporations, individuals, sole proprietors,
20 mobile offices, home offices, business travelers and content producers all utilize
photocopying and reproduction services.

Internal copy centers may be found, for example, in many businesses. Internal copy
centers typically handle photocopying and reproduction for personnel internal to a specific
business. These copy centers are, however, often overburdened with the amount of
25 material that they are required to produce, and are often under-staffed and limited in the

number of machines that can perform the services. They are also often unreliable to users, require supervision, are often not available after certain hours and do not deliver the package after the services have been completed.

Local network printers, such as a printer attached to a personal computer, are also
5 widely used as a photocopy and reproduction service. Local network printers often suffer from problems such as running out of toner, being in an inconvenient location, very little if any color capability, a lack of confidentiality, and no binding, stapling or shipping.

Outsourced copy centers function similar to internal copy centers except that they
are run by an outside copy service. Hence, the problems associated with an internal copy
10 center are similarly attributable to outside copy centers. In addition, the consumer must now associate with persons outside of their business. As is often the case, the exchange of information (i.e. getting the material to the outsourced service, conveying the method of binding, etc.) is miscommunicated and/or not properly conveyed. Quick copy centers (a specific kind of outsourced copy center), such as Kinko's®, Sir Speedy® and KwikCopy®,
15 enable consumers to copy, reproduce and bind. However, these centers have the disadvantages of inconsistent quality and service between stores, inconsistent service offerings, diluted brands, and inconvenient locations.

Fig. 1 illustrates a conventional process that a consumer must follow in order to copy or reproduce a document using, for example, the above noted copy centers. First, the
20 consumer must save the document to disk. Then the consumer must walk to the copy center and wait in line for access to a computer and printer. An order must then be placed, and the consumer must wait for the order to be printed. Once the order has been printed, the consumer must then place the order for copy services, wait for a first copy to preview the document, confirm the order, walk back to the office, wait for copies to finish printing,
25 walk back to the copy center and wait in line to pick up the copies. Finally, the copies must

be sent to their final destination by some form of mail delivery. As explained above and by the Quick Copy Center diagram, the process is time consuming and lengthy.

As noted above, copy centers do not afford the consumer the ability to preview a document prior to completion of the service. For example, a consumer cannot view either 5 the document as a whole or parts of the document, such as the font of the document, the binding and/or the color of the cover, until after completion of the entire photocopying and reproduction process. Hence, if the completed product is not satisfactory to the consumer, the entire process must be repeated. This not only increases the time for copying and reproduction, but also inevitably increases the costs to both the consumer and the service 10 provider.

SUMMARY OF THE INVENTION

In one embodiment of the invention, there is a method for uploading a document from a client to a server over a network. The method includes, for example, uploading from the 15 client a first data packet of the document, sending to the server the first data packet, creating at the server an identification number that identifies the document, and uploading a second data packet of the document that corresponds to the identification number.

In another embodiment of the invention, there is a system for uploading a document over a network. The system includes, for example, a client that includes an upload 20 manager that uploads and transfers the document over the network to a server, a local application that allows a user to select a print driver for printing a document, a port monitor that sends the document to the upload manager, and a print driver that receives a user selection to print a document and sends the document to the port monitor. The system also includes a server that receives the document.

In still another embodiment of the invention, there is a method for recovering data when a communication is interrupted while a document is being uploaded from a client to a server over a network. The method includes, for example, receiving a document identification code identifying the document whose transmission to the server was 5 interrupted, determining an interruption point indicating a portion of the document that has been transmitted successfully, and transferring to the server a remainder of the document from the interruption point.

BRIEF DESCRIPTION OF THE DRAWINGS

10 The figures relate to a system, method and recordable medium of the present invention. They are merely illustrative in nature and do not limit the scope of invention to their disclosed embodiments.

Fig. 1 illustrates a conventional process that a consumer must follow in order to copy or reproduce a document.

15 Fig. 2 illustrates an exemplary network of the invention.

Fig. 3 is an exemplary diagram of an embodiment of the system in the invention.

Fig. 4 illustrates an exemplary diagram of a user requesting a file to be printed using the system and method of the invention.

20 Fig. 5 illustrates an exemplary diagram of a user requesting a file to be printed using the system and method of the invention.

Fig. 6 is an exemplary diagram illustrating one embodiment of the system of the invention.

Fig. 7 is an exemplary flow diagram of a method of using the system of the invention.

Fig. 8 is an exemplary flow diagram of the operation performed by the upload manager.

Fig. 9 is an exemplary flow diagram of uploading a document.

5

DETAILED DESCRIPTION OF THE INVENTION

- This invention supports an efficient system, method and recordable medium to copy or reproduce documents. A user may select various binding, formatting and payment options and preview the impact of such selections on a final document prior to the document being reproduced according to such selections. The system, method and recordable medium operates over a network, such as the Internet. Therefore, the user may be located anywhere in the world and request copying or reproduction of a document according to specific parameters, and may view the final document electronically before the final document is produced in a hard copy format. The user may change the document formatting and other options as desired with the preview feature. Such changes are performed in real-time from the user's computer and do not require the time and resources of a conventional copy center. Additionally, the user is not subject to waiting in line while copy center personnel handle previous requests placed by other consumers. Once an order has been placed to the reproduction system, the user can track the order to determine its status at any time during its processing.
- Communication of data occurs over a network, such as a LAN, WAN, internet, or the network illustrated in the various Figures. Fig. 2 illustrates an exemplary network of the invention. Connection to the network 300 can also occur, for example, by modem or dial-up telephone connection, or as readily understood by one having skill in the art. The network 300 illustrated in the Fig. 2 includes, for example, a client 310, a local internet service provider (ISP) 312, a universal print job acceptor ("UPJA") 320, a storage unit (e.g.

a mini store) 330, and multiple web servers 315. The network 300 described in Fig. 2 is exemplary and can be modified as readily understood by one having ordinary skill in the art.

The network 300 can be divided, for explanatory purposes, into three sections: the 5 client side of the network 300a, the back end side of the network 300b and the printing side of the network 300c. Communication between the client side 300a, the back end side 300b and the printer side 300c occurs, for example, through the network 300. As illustrated in Fig. 2, added levels of security, such as use of firewalls, ensure that information sent over the network 300 is not disturbed (e.g. the information is not modified, changed or 10 breached). Generally speaking, a user on the client side 300a of the network can request printing from, for example, a personal computer, and generate a document for shipping and/or delivery from printer side 300c. The back end side 300b of the network 300b is transparent to the user.

Fig. 3 is an exemplary diagram of an embodiment of the system in the present 15 invention. Fig. 3 primarily illustrates the client side 300a of the network 300, with the addition of the UPJA and database, such as a SQL server, which are on the back end side 300b of the network 300. The system includes, for example, a Data Store, a Print Driver UI, a local application, a graphics library, a Print Driver PDL Gen, a Print Spooler, a Port Monitor, an Upload Manager, a Universal Print Job Acceptor (UPJA), a SQL server, a 20 Version Manager, and a System Tray Application which allows pop-up menus and user selection of icons.

First, relevant file information (parameters) will be sent from the spooler 344 via the port monitor 346 and upload manager 310a to a web server 320 (e.g. UPJA). The 25 relevant file information includes, for example, a handle identifying the location of the printer, printer name, job id, printing level, and document information such as color,

stapling, etc. After the relevant file information is sent to the port monitor 346, a check is performed to determine whether a valid component (e.g. a print driver 310b) is being used, for example, to print the document. In the preferred embodiment, the print driver resides as a file on the client, and comprises Windows™ based code. The print driver 310b may be

5 installed, for example, by downloading it from a server or installed from disk. In order to validate the print driver 310b, the identity of the print driver 310b is sent to the version manager 348, and a check (e.g..a CRC) is performed to compare the components of the print driver stored in the file with information stored in a registry. The registry includes, for example, predetermined information which can authenticate that a valid print driver is

10 being used. If the comparison results in an invalid print driver, the data file (document) will not be sent (uploaded) to the web server. If, on the other hand, the comparison results in a determination that the component (print driver) is valid, then the data file is sent from the print spooler 344 to the port monitor 346. The data file is sent, for example, as packets of information from the print spooler 344 to the port monitor 346. In this embodiment, it is

15 preferable that the packets of data are sent in 4 Kbyte packets. Once the data file (either as a whole or as individual packets) has been sent to the port monitor 346, the data file or packet is sent, via the upload manager 310c, to the UPJA 320 and stored. The upload manager 310c then launches a web browser 310d for viewing the document.

In one embodiment of the invention, an object (e.g. a filter) may be placed in

20 between two other objects (e.g. the Print Spooler and the Port Monitor). The filter can be used, for example, to detach the port monitor 346 from the Print Spooler 344, allowing the system to easily upgrade object code for future versions of software. The filter would preferably be a proxy of either one of the two objects. Other embodiments may include a data store filter in between the DevMode Data Store and the Print Driver UI, and a Print

25 Driver Filter in between the GDI and the Print Driver PDL Gen.

With reference to Figs. 2 and 3, the client 310 (e.g. a terminal, personal computer, PDA, mobile phone, etc.) stores, for example, local applications 310a such as Word™ or PowerPoint™, print drivers 310b, a port monitor 346, an upload manager 310c and a browser 310d. The local applications 310a can be used to create or download a document

5 (the term "document" is being used to broadly refer to any data or information that can be transmitted over the network 300) that the user can ultimately forward to the print side 300c for shipping and/or delivery to a specified location. Print driver 310b builds and creates objects necessary to communicate with the selected printing device (e.g. a printer directly attached to the client 310, a printer on the network 300 or a printer located at the

10 printer side 300c). The upload manager 310c is responsible for compressing and transferring files (e.g. documents or selections of documents) over the network. The browser 310d, such as Internet Explorer™ or Netscape Navigator™, is used to download client software (e.g. print drivers) 310b, and to view and order documents. Downloading of this data preferably occurs prior to requesting a print job. Of course, other systems and

15 methods may be used to browse and download print drivers and view or order documents as one having ordinary skill in the art would recognize. For example, print drivers 310b may be loaded onto the client 310 by reading software stored on a recordable medium. The upload manager 310c communicates with the UPJA 320, for example, via Extensible Markup Language (XML) messages over http/https. XML allows browser clients to

20 download an HTML page and then manipulate the page off line, without referring back to the server. The main task of the upload manager 310c and UPJA 320 is to transfer and compress files (preferably secure pdl files) via, for example, a Secure Socket Layer (SSL).

Operation of the upload manager 310c is now described. The upload manager 310c, which resides on the client 310 and is software in the preferred embodiment, handles

25 upload and recovery of data for print jobs on the network 300. Once a complete document

has been uploaded and transmitted to a server for reproduction processing, the upload manager 310c launches a web browser that allows a user to view and edit the document. For software including version information, the upload manager 310c can determine which version of the software is supported by the system and can monitor the data to determine

5 whether a valid version of the software is being used, as described below.

A caching server 340 manages the download of driver software and other common HTML and image data elements between the client 310 and the UPJA 320. The UPJA 320 (which is a server in the preferred embodiment and therefore includes the conventional components of a computer, including memory, storage and a process, in the preferred 10 embodiment), in one embodiment, receives the document as it is transmitted from the client 310, via the ISP 312, across the network 300. The document is received by the UPJA 320, via the upload manager 310c, after the print driver 310b being used has been authenticated by the version manager 348, and the entire document has been sent to the port monitor 346. Replicating servers 350 (i.e. lightweight directory assistance protocol, or LDAP, servers) 15 authenticate clients 310 requesting services from the UPJA 320 and web servers 315. Authentication occurs as is readily understood by one having ordinary skill in the art. For example, the web servers 315 provide application services for web browsing and viewing of order information of newly uploaded and previously ordered documents. Software, such as AlchemyPS, is used to render images of the PostScript document for viewing. The mini 20 store 330 stores documents (i.e. files) uploaded to the UPJA 320, as well as web, application, SQL and LDAP data.

After a document has been sent to the UPJA 320, it can be downloaded to the printer side 300c. The printer side 300c allows the user on the client side 300a to print, bind and deliver documents that have been uploaded and stored on the network 300. The 25 physical location of the print side 300c can be anywhere relative to the client side 300a and

back end 300b. In the preferred embodiment, print side 300c is located in a printing facility next door to a delivering company such as Federal Express™. Documents are downloaded to a storage unit (e.g. main storage) located on print side 300c, as illustrated in Fig. 2, and then replicated on printers for ultimate shipping and delivery of the completed product to

5 an address or location specified by the user. The completed product is an actual representation of the virtual product created by the user on the client side 300a. For example, a user may select a file that has been created using a standard editor such as Word™. The file may then be edited or modified by selecting font size and color, binding and paper using the interface opened by browser 310d. More specifically, Figs. 4 and 5

10 illustrate exemplary diagrams of a user requesting a file to be printed using the system and method of the present invention. Operation of the system and method are discussed below.

Referring to Fig. 4, a user requests data to be printed at 400. After data (i.e. a document) has been selected at 400, the user may configure the settings of the document using a configuration unit (e.g. the item configuration wizard), as described below. Before

15 uploading the selected document(s) to the UPJA 320, the print driver 310b selected by the user is verified by the version manager 348 at 410. The version manager is preferably a separate component that is accessed to verify that all of the client components being used by the client are valid before any uploading occurs. If the version manager 348 determines that the print driver is not valid (i.e. not acceptable), then a message is sent to the client 310

20 at 450. If, on the other hand, the version manager 348 determines that the print driver information is valid, then data is uploaded from the client 310, for example, to the port monitor 346 via the print spooler 344 (see, for example, Fig. 37). That is, when data being uploaded includes version information, the upload manager 310c can query about, for example, what version of software the system supports. For example, when a "print"

25 command is issued, the upload manager 310c can monitor, in real time, the data to

- determine if a valid version of the print driver 310b (e.g. driver software) is being used. The upload manager 310c also verifies that the client 310 software (e.g. local applications), and/or components making up the software, represent a coherent set of components and work properly together. This can be accomplished, for example, by a version manager 348
- 5 authenticating the components of the drivers and client software.

Uploading a document begins at 420. The upload manager 310c compresses the document(s) that has been selected for printing, and sends it to the UPJA 320 for storage (preferably temporary) at 430. The preferable method of transferring documents using the upload manager is the discussion of a separate application. Of course, one having ordinary 10 skill in the art will recognize that documents can be transferred in a variety of ways, and the present invention is not limited to the preferred embodiment. Documents sent to UPJA 320 may also be stored in mini store 330 for later retrieval at 430. Finally, the document is sent to printer side 300c where it is stored in a main storage unit, and printed according to the user defined specifications at 440:

- 15 As illustrated in Fig. 5, subsequent to uploading a document in 420, in one embodiment users can specify with the aid of a configuration wizard, the item, for example, document type, paper stock, printing options, double or single sided copies, color versus black and white, cover and orientation (422). The user is then presented with the option of either viewing their shopping cart and choosing an item (e.g. another document) to be 20 purchased for printing, or can select the number of copies to be printed (422). After the selection of the number of copies has been made, the user can select the appropriate address or location for delivery of the printed document, convey billing information, preview and submit the order, and receive confirmation and updates regarding the order (424 and 442).

Fig. 6 is an exemplary diagram illustrating one embodiment of the system of the 25 invention. The network 300 includes, for example, client side 300a, back end side 300b

and print side 300c. The client side 300a includes a public web server, third party content, a corporate intranet and a print driver. Each of these components can freely communicate with each other and with the UPJA 320 on back end side 300b. The UPJA 320, as described above, can receive jobs, requests for information, etc., and serves as the primary

- 5 (although not the exclusive) link between the client side 300a and the print side 300b. The back end side 300c includes a main storage to store documents downloaded from the UPJA 320, a job queue, workstations and printers to complete the ordered jobs. Servicing on the completed jobs can also be handled at the print side 300c, or at a separate location.
- Servicing includes, for example, binding, cutting, collating and wrapping the documents to
- 10 be shipped, as well as boxing, labeling and shipping or delivery of the document(s) to a specified address or location.

Fig. 7 is an exemplary flow diagram of a method of using the system in the invention. The flow illustrated is merely an example of one embodiment of a process that a user accessing the system may perform. The user creates a document in a local application 310a on, for example, their personal computer (600), and prints the documents from the application to the selected print driver 310b (605). The document is printed as a postscript document (610). The upload manager 310c then uploads the postscript print file to the UPJA 320 over http/https (615), and the upload manager launches the web browser 310d for document viewing (620). The user can then configure the finishing and binding options for the document using the interface on the personal computer (625). Once document configuration information is validated, the user inputs shipping and payment data on the interface(630). The shipping and payment data are verified, and the print file is put in long term storage (635). The finishing and biding options are then combined with the postscript file to create a print ready file (640), and the print ready file is sent to the print queue (645) and transferred to the production facility (i.e. printing facility). A printer operator can then

select a job and queues it to an available printer (655), and the job is ripped and sent to the printer (660). The printer punches and/or binds the job on-line (665), and the package is sent for delivery (675). The user is able to track the package, receive the package and open the package (680-690).

5 Fig. 8 is an exemplary flow diagram of the operation performed by the upload manager. A client's "upload request" is sent via, for example, an XML protocol such as a Java active server page (ASP) to a server, such as the UPJA 320 depicted in Fig. 3. The server creates an "upload.begin" request ASP and an associated object identifying the request. The object is sent to a database and stored. In response, the object initiates an
10 "upload.begin" response, which is transmitted to the client 310 via, for example, XML. This process repeats for each client upload request. Further details of the processing performed relative to uploading an entire document are described below relative to Fig. 5.

Fig. 9 is an exemplary flow diagram of uploading a document. Referring to Fig. 9, the transfer of information across the network 300 begins with a request by the client 310, 15 for example, a command to print a file at 506. The print driver 310b residing, for example, on the client 310 makes a request to upload a data packet at 510. The data packet is sent as an ASP request to web server 315, such as a IIS Windows-based web server at 516. The request may be, for example, an "upload-begin" request, an "upload-request" or an "upload-complete-response."

20 The ASP provides the server-side equivalent to using a scripting language and objects on the client 310. When the print driver 310c makes the request to upload a data packet, the client 310 keeps track of which data packet(s) has been sent. That is, the data packet is "marked" for subsequent reference. If a problem occurs in the transmission, for example a modem failure, machine failure, the internet goes down, a database goes down,
25 the file is corrupted, etc., or if the file is successfully transmitted, the system can properly

respond to the client 310. For example, if the file is successfully transmitted, the client 310 is notified of the successful transfer. If, on the other hand, a transmission error occurs, the network 300 is able to identify which data packet was last sent using the marked reference.

In this regard, the system can continue, i.e. resume, uploading from the point of error,

- 5 without having to resend or retransmit the entire data file.

The ASP request then executes at the server 315 and launches associated objects stored in the server at 520. After the ASP request executes, an initial handshake occurs between the client 310 and server 315. During the initial handshake, an object is launched to create a new globally unique identification (GUID) of the file at 526. The newly created

- 10 GUID is then sent to the client 310 as an “upload-begin-response” and is used for subsequent “upload-request” uploading of the file. Uploading of the file then begins and information about the file, such as file size, CRC, document names, color, orientation and number of pages, is transferred to the UPJA 320 at 532. Once the entire file and corresponding file information is transferred to and stored in the UPJA 320 at 538, it is
- 15 transferred and stored in a computer readable medium, such as, a mini store 330 at 542.

If at any time during the transfer of data an error occurs, an “upload-response” is sent to the client. The response indicates to the client 310 that an error during transmission has occurred at 550. The client 310 responds to the “upload-response” by re-transmitting the packets from a point at which the last packet was successfully sent at 556. This

- 20 re-transmission process can be repeated for a predetermined number of times. If an error is still present after the system has re-tried the predetermined number of times at 562, then an “upload-resume” request is initiated at 568. The “upload-resume” request transmits the GUID to the upload manager 310c so that the upload manager 310c can determine which file the upload resume request relates to. The upload manager 310c then determines the
- 25 last referenced, or “marked,” data packet and resumes the transfer of data beginning with

that packet. The data packets are transmitted until the entire file has been successfully transferred to the server.

Once the complete file, along with corresponding file information, has been transferred to the server and stored, a browser 310d located at the client 310 is launched at 5 574. The browser 310d allows the user to view, configure, format, print, etc. the uploaded document as described above.

Although the invention has been described relative to a particular embodiment, one of skill in the art will appreciate that this description is merely exemplary and the system and method of this invention may include additional or different components. This 10 description is therefore limited only by the appended claims and the full scope of their equivalents.

What is claimed is:

1. A method to upload a document from a client to a server over a network, comprising:

uploading from the client a first data packet of a print file created from the document by a print driver;

sending to the server the first data packet;

creating at the server an identification code that identifies the print file; and

- uploading a second data packet of the print file that corresponds to the identification code.

2. The method of claim 1, wherein the uploading includes uploading from the client to the server, wherein the server is a web server.

3. The method of claim 1, wherein the uploading includes suspending and resuming transfer of the document from a suspension point.

4. The method of claim 1, further including storing the print file at a network database.

5. The method of claim 1, further including storing the first data packet at the server.

6. The method of claim 1, wherein the network is the Internet.

7. The method of claim 1, further including receiving from the client a request to upload the document over the network.

8. The method of claim 1, wherein the uploading further includes resuming a transfer of the document after the transfer has been interrupted.

9. A system to upload a document over a network, comprising:
a client that includes an upload manager that uploads the document over the network,
a port monitor that sends a print file to the upload manager, a print driver that creates the print file from the document and sends the print file to the port monitor, and a local application that allows a user to select the print driver for delivering the document; and
a web server that receives the print file transferred over the network.

10. The system of claim 9, wherein the local application enables the user to select the document for delivery and seamlessly uploads the document to the web server.

11. The system of claim 9, wherein when a user selects to deliver the document from the local application, a web browser is launched that allows the user to view the document with characteristics selected by the user.

12. The system of claim 9, wherein the upload manager further includes a version manager that determines whether the print driver is valid.

13. The system of claim 9, wherein the upload manager further includes a version manager that determines whether a version of the print driver is compatible with information stored in a registry.

14. The system of claim 9, further including:

a spooler to spool the print file and send the print file to the port monitor using packets of data.

15. A client, comprising:

a local application that allows a user to select a print driver for delivering a document;

a print driver that creates a print file from the document;

a port monitor that receives the print file sent by the print driver; and

an upload manger that uploads the print file over a network to a web server.

16. A method to recover data when a communication is interrupted while a document is being uploaded from a client to a web server over a network, comprising:

receiving a document identification code identifying the document being uploaded from the client to the web server when a transmission to the web server is interrupted;

determining an interruption point indicating a non-transmitted portion of the document; and

transferring the non-transmitted portion of the document to the web server.

17. The method of claim 16, wherein the document is a print file that has been created by a print driver residing on the client.

18. A computer-readable medium including instructions to upload a document over a network from a client to a server, the instructions comprising:


uploading from the client a first data packet of a print file created from the document by a print driver;


sending to the server the first data packet;
creating at the server an identification code that identifies the print file; and
uploading a second data packet of the print file that corresponds to the identification code.

19. A method to respond to a request to upload a document, comprising:
receiving at a web server the request to upload the document;
creating at the web server an object and assigning the request an identification code;
and
sending to the client a response including the identification code assigned to the request.

20. The method of claim 21, further including determining a print file associated with the document that corresponds to the identification code.

Fig. 1








FIG. 3








FIG. 9

Fig. 5












Figure 9



Published:

— *with international search report*

(88) Date of publication of the international search report:

17 January 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/31129

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F3/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G06F G06K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 15955 A (EASTMAN KODAK CO) 1 April 1999 (1999-04-01) the whole document ---	1,2,5-7, 9-11, 18-20
X	EP 0 924 597 A (LEXMARK INT INC) 23 June 1999 (1999-06-23) the whole document ---	1,3, 5-11, 14-18
A	US 5 559 933 A (BOSWELL R STEPHEN) 24 September 1996 (1996-09-24) figures 4,6A-6D column 9, line 17 -column 10, line 5 column 10, line 55 -column 12, line 41 -----	1,3,9, 11,15 16,17
X		

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

11 July 2001

Date of mailing of the international search report

17/07/2001

Name and mailing address of the ISA
European Patent Office, P.B. 5618 Patentlaan 2
NL - 2280 HV Rijswijk
Tel: (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Weiss, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/31129

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 9915955	A	01-04-1999	EP	0941511 A		15-09-1999
EP 0924597	A	23-06-1999	US	6003069 A		14-12-1999
			JP	11272438 A		08-10-1999
			TW	416035 B		21-12-2000
US 5559933	A	24-09-1996		NONE		